

# Corrections to “Decision-tree Induction from Time-series Data Based on a Standard-example Split Test”

Yuu Yamada<sup>1</sup>, Einoshin Suzuki<sup>1</sup>, Hideto Yokoi<sup>2</sup>, and Katsuhiko Takabayashi<sup>2</sup>

1. Electrical and Computer Engineering, Yokohama National University,  
79-5 Tokiwadai, Hodogaya, Yokohama 240-8501, Japan  
yuu@slab.dnj.ynu.ac.jp, suzuki@slabdnj.ynu.ac.jp
2. Division of Medical Informatics, Chiba University Hospital,  
1-8-1 Inohana, Chuo-ku, Chiba, 260-8677 Japan  
yokoih@telemed.ho.chiba-u.ac.jp, takaba@ho.chiba-u.ac.jp

The article cited above, which will appear in the Proceedings of the Twentieth International Conference on Machine Learning (ICML-2003), requires the following corrections.

1. In the third paragraph of section 3.1 in p. 3:  $G(e'(a), e''(a)) \rightarrow G(e''(a), e(a)) - G(e'(a), e(a))$
2. In the last paragraph of p. 4: investigate on  $\rightarrow$  investigate, a modified versions  $\rightarrow$  modified versions.
3. The accuracy of 1-NN for Sign in table 1: 97.8  $\rightarrow$  97.4
4. The size of SE-split for Sign in table 2: 28.3  $\rightarrow$  32.5
5. The size of Av-split for Sign in table 2: 41.1  $\rightarrow$  43.0
6. In the last paragraph of the left column in p. 7: appreciated  $\rightarrow$  appraised
7. In the last paragraph of section 5 in p. 8: appreciated  $\rightarrow$  appraised

## References

1. Y. Yamada, E. Suzuki, H. Yokoi, and K. Takabayashi: “Decision-tree Induction from Time-series Data Based on a Standard-example Split Test”, *Proc. Twentieth International Conference on Machine Learning (ICML)*, 2003 (accepted for publication).